

附表一

表 6-6 预制过梁表

门窗编号	门窗数量				过梁编号	混凝土用量 (m³)	钢筋用量 (kg)						
	1 层	2 层	3 层	合计			Φ 4	Φ 6. 5	Φ 8	Φ 10	Φ 12	Φ 12	Φ 14
M1	2	2	1	5	GL08122	0.10	0.44	3.28	---	---	---	---	---
M2	3	3	5	11	GL10244	0.47	2.38	---	---	---	32.04	---	---
M3	1	1	1	3	GL08244	0.11	0.58	---	---	5.26	---	---	---
C2	2	2	3	7	GL18243	0.69	6.83	---	12.61	---	---	---	38.62
C3	2	2	2	6	GL07244	0.21	1.03	---	6.26	---	---	---	---
C5	---	---	1	1	GL15243	0.09	0.81	1.03	---	---	---	3.80	---
合计						1.67	12.07	4.31	18.87	5.26	32.04	3.80	38.62

附表二

表 6-7 预应力空心板汇总表

	YKB3452	YKB3452 L=3.36m	YKB3462	YKB3462 L=3.36m	YKB2462	YKB2662 参 2762	YKB4051	YKB3951 L=3.76m	YKB3951 L=3.80m	YKB4061	YKB3961 L=3.76m	合计
二层	1	---	7	---	1	2	---	---	---	---	---	---
三层	1	5	7	4	1	2	20	10	---	5	2	---
屋顶	---	---	---	---	---	---	24	12	4	---	---	---
合计	2	5	14	4	2	4	44	22	4	5	2	---
每块混凝土用量(m³)	0.124	0.123	0.147	0.145	0.104	0.113	0.145	0.137	0.138	0.173	0.163	---
混凝土用量合计(m³)	0.248	0.615	2.058	0.580	0.208	0.452	6.380	3.014	0.552	0.865	0.326	15.298
每块钢筋用量(kg) Φ ^b 4	3.720	3.680	4.400	4.350	2.400	3.110	4.870	4.590	4.640	5.720	5.399	---
钢筋用量合计(kg) Φ ^b 4	7.440	18.400	61.600	17.400	4.800	12.440	214.280	100.980	18.560	28.600	10.798	495.298

附表三

表 6-8 门窗一览表

门窗名称	洞口尺寸宽×高 (mm)	单个面积 (m ²)	门窗数量				总面积 (m ²)
			一层	二层	三层	合计	
C-1 固定玻璃窗	3250×2300	8.10	2	---	---	2	16.20
C-2 双扇推拉铝合金窗	1800×1500	2.70	2	2	3	7	18.90
C-3 单扇平开铝合金窗	600×1500	0.90	2	2	2	6	5.40
C-4 六扇推拉铝合金窗	3360×1500	5.04	---	1	1	2	10.08
C-5 双扇推拉铝合金窗	1500×1500	2.25	---	1	2	3	6.75
C-6 六扇推拉铝合金窗	3520×1500	5.28	---	2	2	4	21.12
不锈钢防盗窗	1800×1500	2.70	2	---	---	2	5.40
	600×1500	0.90	2	---	---	2	1.80
	合计	---	---	---	---	---	7.20
M-1 铝合金地弹门	3000×2700	8.10	1	---	---	1	8.10
M-2 平开夹板门无亮	1000×2100	2.10	3	3	5	11	23.10
M-3 平开塑钢门	800×2100	1.68	3	3	2	8	13.44
M-4 平开钢防盗门	1000×2100	2.10	1	---	---	1	2.10
M-5 网状铝合金卷闸门	12000×3500	42.00	1	---	---	1	42.00